

G-SL-715

Ranger Domestic AC Sliding Gate Motor





Ranger Sliding Gate Motor are designed to smartly control all types of residential sliding gates. Come out as innovative design, reliable operation, high performance and diversity choices.

Ranger Sliding Gate are an excellent choice for residential driveway gate automation when the site has steep grades prohibiting the use of a swing gate, or sites where there is limited space for swing gates to operate freely and where higher security is required.



Intensive Use
Designed for installation in
domestic settings, or anywhere
that requires maximum reliability
with intensive use.



Built-in Control UnitWith built-in control panel, with built in receiver, guarantees the stable and highest performance.



Key Release System
Aluminium release handle with
protected lock and customized
release key.



Magnetic Limit Switch
This model's sliding gates come
with magnetic limit switch selection.



G-SL-715

Ranger Domestic AC Sliding Gate Motor





Auto Close Function

Automatic closing with adjustable time delay, and push button override.



Soft Start & Slow Close

Reliable, safe performance and stable operation.



Auto Reverse on Obstacle

Smart version with auto-reverse when hitting obstacle during closing.

1,500 KG

Maximum Gate Weight

Maximum support gate weight up to 1,500kg





Technical Data	G-SL-715-M	G-SL-715-M-M
Limit Switch	Magnetic	Magnetic (Motor only w/o Control Panel)
Power Supply	AC220V/50Hz; 110V/60Hz	
Power Consumption	50Hz	
Motor Power	400W	
Output Torque	22 N.m	
Output Shaft Height	50mm	
Gate Moving Speed	11-13m/min	
Maximum of Remote Control	25	
Frequency	433.92Mhz	
Work Duty	S2 15min	
Noise	≤58dB	
Working Temperature	-20°C~70°C	
Maximum Gate Weight	1,500Kg	

Standard Colours

Platinum Grey (Similiar to RAL7036)

Ordering Info

Model	Motor Configuration	
G-SL-715-M	Magnetic Limit Switch	
G-SL-715-M-M	Magnetic (Motor only w/o Control Panel)	

G-SL-715-M, G-SL-715-M-M







Transmitter & Receiver




Gear Rack




Base Plate (Optional)

Dimension Drawings (mm)

*All specification is subject to change without prior notice.





1. Gate Opener
2. Wireless Keypad (optional)
3. Gate
4. Infrared Sensor (optional)
5. Alarm lamp (optional)
6. Safety stop block (optional)
7. Gear rack
8. Remote Control